

ANALYTICAL TEST REPORT

ULR No.: TC1362825000008025F

Report No.: TR/IPAS/25/12/00298-01

Date: 16/12/2025

Issued to: Dalawat Mehandi Farm,
78, Charbhujia Gali, Village- Bhitwara, Via- Mundara,
Tehsil- Bali, Pali, Rajasthan- 306705 (INDIA)



NABL Scope



Verify Report

Kind attn.: NA**SAMPLE DETAILS**

Sample ID: IPAS/25/12/00298
Sample Name: Organic Henna Leaf (Dry)
Sampling date: 13/12/2025
Sample Receipt date: 15/12/2025
Sample Appearance: Light Brown colour
Sample Quantity: ~500
Sample Seal number: IndoPrime 002444
Sampling Procedure: IPAS/STP/C/07
Sampling location: 78, Charbhujia Gali, Village- Bhitwara,
Via- Mundara, Tehsil- Bali, Pali,
Rajasthan- 306705 (INDIA)

Sample Reference:
Tracenet Batch ID: 122025384257
Internal Lot ID: DMF25H1NOP
Lot Qty: 9.37 MT
Temperature & Humidity during sampling: NA
Condition on receipt: Good
Analysis Start Date: 15/12/2025
Analysis Completion Date: 16/12/2025
Sampling Details: Sampling Done By IndoPrime
Whether Customer has asked for decision rule: No

TEST RESULTS

Sr. No.	Parameters	Result	Unit	MRL	LOQ	METHOD
Residue:						
1	2-Chloroethanol	BLQ	mg/kg	--	0.01	IPAS/STP/C/01
2	Ethylene Oxide	BLQ	mg/kg	--	0.01	
3	Ethylene Oxide (Sum of Ethylene Oxide & 2-Chloro-Ethanol Expressed as Ethylene Oxide)	BLQ	mg/kg	0.02	0.01	
4	All analyzed pesticides	BLQ	mg/kg	--	--	

Compounds analyzed by LC-MSMS & GC-MSMS (LOQ, mg/kg)

Sr.No.	Parameters	Sr.No.	Parameters	Sr.No.	Parameters
1	Abamectin (sum, avermectin B1a, avermectin B1b)(0.01)	95	Difenoconazole(0.01)	189	Metalaxyl (including Metalaxyl-M)(0.01)
2	Acephate(0.01)	96	Diflubenzuron(0.01)	190	Metazachlor(0.01)
3	Acequinocyl(0.01)	97	Diflufenican(0.01)	191	Methamidophos(0.01)
4	Acetochlor(0.01)	98	Dimethachlor(0.01)	192	Methomyl(0.01)
5	Acrinathrin(0.01)	99	Dimethenamid(0.01)	193	Metolachlor (Including S-Metolachlor)(0.01)
6	Afidopyropen(0.01)	100	Dimethoate(0.01)	194	Metrafenone(0.01)
7	Alachlor(0.01)	101	Dimethomorph(0.01)	195	Metribuzin(0.01)
8	Aldicarb(0.01)	102	Dimoxystrobin(0.01)	196	Monocrotophos(0.01)
9	Aldrin(0.01)	103	Diniconazole(0.01)	197	Monuron(0.01)
10	Ametryn(0.01)	104	Dinoseb(0.01)	198	Myclobutanil(0.01)

Sr.No.	Parameters	Sr.No.	Parameters	Sr.No.	Parameters
11	Amidosulfuron(0.01)	105	Dinotefuran(0.01)	199	Novaluron(0.01)
12	Aminopyralid(0.01)	106	Dinoterb(0.01)	200	Omethoate (Dimethoate oxygen analog)(0.01)
13	Amisulbrom(0.01)	107	Dioxathion(0.01)	201	Oxadiargyl(0.01)
14	Amitrole(0.01)	108	Diphenylamine(0.01)	202	Oxamyl(0.01)
15	Anilofos(0.01)	109	Disulfoton(0.01)	203	Oxycarboxin (Carboxin sulfone)(0.01)
16	Anthraquinone(0.01)	110	Diuron(0.01)	204	Oxydemeton-methyl(0.01)
17	Aramite(0.01)	111	Dodemorph(0.01)	205	Oxyfluorfen(0.01)
18	Asulam(0.01)	112	Dodine(0.01)	206	Paclbutrazol(0.01)
19	Atrazine(0.01)	113	Edifenphos(0.01)	207	Paraoxon (Paraoxon-ethyl)(0.01)
20	Azimsulfuron(0.01)	114	Emamectin (Emamectin benzoate)(0.01)	208	Paraoxon-methyl(0.01)
21	Azinphos-ethyl(0.01)	115	Endosulfan alpha(0.01)	209	Parathion (Parathion ethyl)(0.01)
22	Azinphos-methyl(0.01)	116	Endosulfan sulfate(0.01)	210	Parathion methyl (sum, Parathion methyl and paraoxon methyl)(0.01)
23	Bendiocarb(0.01)	117	Endosulfan-beta(0.01)	211	Parathion methyl(0.01)
24	Benfuracarb(0.01)	118	Endrin(0.01)	212	Penconazole(0.01)
25	Bifenazate(0.01)	119	Epoxiconazole(0.01)	213	Pencycuron(0.01)
26	Bifenox(0.01)	120	Esfenvalerate(0.01)	214	Pendimethalin(0.01)
27	Bifenthrin(0.01)	121	Ethion(0.01)	215	Pentachloro-aniline(0.01)
28	Bitertanol(0.01)	122	Ethiprole(0.01)	216	Pentachlorobenzene(0.01)
29	Boscalid(0.01)	123	Ethofumesate(0.01)	217	Permethrin (sum of Isomers)(0.01)
30	Bromadiolone(0.01)	124	Ethoprophos(0.01)	218	Phenthoate(0.01)
31	Bromophos-ethyl(0.01)	125	Ethoxyquin(0.01)	219	Phorate (sum, Phorate, Phorate sulfone and Phorate sulfoxide)(0.01)
32	Bromopropylate(0.01)	126	Etofenprox(0.01)	220	Phorate sulfone(0.01)
33	Bromoxynil(0.01)	127	Etoazole(0.01)	221	Phorate sulfoxide(0.01)
34	Bromuconazole(0.01)	128	Etridiazole(0.01)	222	Phorate(0.01)
35	Buprofezin (buprofezin)(0.01)	129	Etrimfos(0.01)	223	Phosalone(0.01)
36	Butachlor(0.01)	130	Famoxadone(0.01)	224	Phosphamidon(0.01)
37	Cadusafos(0.01)	131	Fenamidone(0.01)	225	Picloram(0.01)
38	Captafol(0.01)	132	Fenarimol(0.01)	226	Picoxystrobin(0.01)
39	Captan (Sum, captan and THPI)(0.01)	133	Fenazaquin(0.01)	227	Pirimicarb(0.01)
40	Carbaryl(0.01)	134	Fenbutatin oxide(0.01)	228	Pirimiphos-ethyl(0.01)
41	Carbendazim (sum of benomyl and carbendazim)(0.01)	135	Fenhexamid(0.01)	229	Pirimiphos-methyl(0.01)
42	Carbetamide(0.01)	136	Fenitrothion(0.01)	230	Pretilachlor(0.01)
43	Carbofuran (sum, Carbofuran, carbosulfan, benfuracarb, furathiocarb and 3-OH carbofuran)(0.002)	137	Fenobucarb(0.01)	231	Profenofos(0.01)
44	Carbofuran(0.002)	138	Fenoxycarb(0.01)	232	Propachlor(0.01)
45	Carbosulfan(0.01)	139	Fenpropathrin(0.01)	233	Propamocarb(0.01)
46	Carboxin(0.01)	140	Fenpyroximate(0.01)	234	Propanil(0.01)
47	Carfentrazone-ethyl(0.01)	141	Fenthion (Sum, Fenthion, Fenthion sulfone, Fenthion sulfoxide)(0.01)	235	Propargite(0.01)
48	Cartap(0.01)	142	Fenthion(0.01)	236	Propiconazole(0.01)
49	Chlorantraniliprole(0.01)	143	Fenvalerate (including esfenvalerate)(0.01)	237	Propoxur(0.005)
50	Chlorbenside(0.01)	144	Fipronil (Sum, Fipronil, Fipronil Sulfone)(0.005)	238	Pymetrozine(0.01)
51	Chlorbufam(0.01)	145	Fipronil sulfone(0.005)	239	Pyraclostrobin(0.01)
52	Chlordane (Sum, Chlordane-cis and Chlordane-trans)(0.01)	146	Fipronil(0.005)	240	Pyridaben(0.01)
53	Chlordane (trans)(0.01)	147	Flonicamid (Sum, Flonicamid, TFNA and TFNG)(0.01)	241	Pyriproxyfen(0.01)
54	Chlorfenapyr(0.01)	148	Flonicamid(0.01)	242	Quinalphos(0.01)

Sr.No.	Parameters	Sr.No.	Parameters	Sr.No.	Parameters
55	Chlorfenvinphos(0.01)	149	fluazifop(0.01)	243	Quintozene (Pentachloronitrobenzene)(0.01)
56	Chlorfluazuron(0.01)	150	Flubendiamide(0.01)	244	Quizalofop-P(0.01)
57	Chloridazon(0.01)	151	Flucythrinate(0.01)	245	Resmethrin(0.01)
58	Chlorimuron ethyl(0.01)	152	Fludioxonil(0.01)	246	Simazine(0.01)
59	Chlormequat (CCC) (sum of chlormequat and its salts, expressed as chlormequat-chloride)(0.01)	153	Flufenacet(0.01)	247	Spinetoram(0.01)
60	Chlorothalonil(0.01)	154	Flufenoxuron(0.01)	248	Spinosad (Sum of Spinosyn A and Spinosyn D)(0.01)
61	Chlorotoluron(0.01)	155	Flufenzine(0.01)	249	Spiromesifen(0.01)
62	Chloroxuron(0.01)	156	Flumetralin(0.01)	250	Spirotetramat(0.01)
63	Chlorpropham(0.01)	157	Fluometuron(0.01)	251	Spiroxamine(0.01)
64	Chlorpyrifos (Chlorpyrifos ethyl)(0.01)	158	Fluopicolide(0.01)	252	Sulfoxaflor (sum of isomers)(0.01)
65	Chlorpyrifos methyl(0.01)	159	Fluopyram(0.01)	253	Tau-Fluvalinate(0.01)
66	Chlorthiamid(0.01)	160	Flupyradifurone(0.01)	254	Tebufenpyrad(0.01)
67	Clodinafop(0.01)	161	Flusilazole(0.01)	255	Teflubenzuron(0.01)
68	Clofentezine(0.01)	162	Fluxapyroxad(0.01)	256	Tefluthrin(0.01)
69	Clothianidin(0.01)	163	Forchlorfenuron (CPPU)(0.01)	257	Temephos(0.01)
70	Coumachlor (0.01)	164	Furathiocarb(0.01)	258	Terbufos(0.01)
71	Cyantraniliprole(0.01)	165	HCH-alpha(0.01)	259	Tetraconazole(0.01)
72	Cyazofamid(0.01)	166	HCH-beta(0.01)	260	TFNA (Flonicamid metabolite)(0.01)
73	Cyflufenamid(0.01)	167	HCH-delta(0.01)	261	TFNG (Flonicamid metabolite)(0.01)
74	Cyflumetofen(0.01)	168	HCH-gamma (Lindane)(0.01)	262	Thiabendazole(0.01)
75	Cyfluthrin(0.01)	169	Heptachlor (sum, heptachlor and heptachlor epoxide)(0.01)	263	Thiacloprid(0.01)
76	Cyhalothrin-lambda(0.01)	170	Heptachlor epoxide(0.01)	264	Thiamethoxam(0.01)
77	Cymoxanil(0.01)	171	Heptachlor(0.01)	265	Thiodicarb(0.01)
78	Cypermethrin(0.01)	172	Heptachlorepoxyde-cis(0.01)	266	Thiophanate-methyl(0.01)
79	Cyprodinil(0.01)	173	Heptachlorepoxyde-trans(0.01)	267	Tolfenpyrad(0.01)
80	Cyromazine(0.01)	174	Hexythiazox(0.01)	268	Triadimefon(0.01)
81	Dazomet(0.01)	175	Indoxacarb(0.01)	269	Triallate(0.01)
82	DDD-o,p(0.01)	176	Iodosulfuron methyl(0.01)	270	Triazophos(0.01)
83	DDD-p,p(0.01)	177	Iprobenfos(0.01)	271	Tricyclazole(0.01)
84	DDE-o,p(0.01)	178	Iprodione(0.01)	272	Tridemorph(0.01)
85	DDE-o,p(0.01)	179	Iprovalicarb(0.01)	273	Trifloxystrobin(0.01)
86	DDE-p,p(0.01)	180	Isoprothiolane(0.01)	274	Triflumuron(0.01)
87	DDT (sum, DDT-o,p, DDT-p,p, (TDE-p,p)DDD-p,p, DDD-p,p)(0.01)	181	Isoproturon(0.01)	275	Zoxamide(0.01)
88	DDT-o,p(0.01)	182	Kresoxim-methyl(0.01)		
89	DDT-p,p(0.01)	183	Linuron(0.01)		
90	Deltamethrin(0.01)	184	Lufenuron(0.01)		
91	Demeton-s-methyl sulfone(0.01)	185	Malaoxon (malathion oxygen analog)(0.01)		
92	Diafenthuiuron(0.01)	186	Malathion (sum, malathion and malaaxon)(0.01)		
93	Dichlorvos (DDVP)(0.01)	187	Malathion(0.01)		
94	Dieldrin(0.01)	188	Mandipropamid(0.01)		

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification, MRL: Maximum Residue Limit

Sample Conclusion: The results of the above-mentioned analyses are in accordance with the requirements of APEDA National Programme For Organic Production (NPOP) and USDA National Organic Program (NOP) in their currently valid versions.



Authorized Signatory
Santosh Patil
(Chemical)

Disclaimer note:

1. The results are applicable solely to the sample analyzed as detailed above.
2. This report may not be reproduced, in whole or in part, without prior written consent from IndoPrime Analytical Services LLP. It is not admissible as evidence in a court of law and should not be cited in any advertising materials without explicit written authorization from IndoPrime Analytical Services LLP.
3. Any modification or alteration of a test report issued by IndoPrime is prohibited and constitutes an offense. IndoPrime reserves the right to pursue legal action if any such unauthorized changes are detected.
4. Test reports are generated solely based on the information and data furnished by the customer. IndoPrime Analytical Services LLP's maximum liability is strictly limited to the amount invoiced for the respective services.

**ANALYTICAL TEST REPORT**

ULR No.: NA

Report No.: TR/IPAS/25/12/00298-02

Date: 16/12/2025

Issued to: Dalawat Mehandi Farm,
78, Charbhujia Gali, Village- Bhitwara, Via- Mundara,
Tehsil- Bali, Pali, Rajasthan- 306705 (INDIA)



NABL Scope

Kind attn.: NA**SAMPLE DETAILS**

Sample ID: IPAS/25/12/00298	Sample Reference:
Sample Name: Organic Henna Leaf (Dry)	Tracenet Batch ID: 122025384257
Sampling date: 13/12/2025	Internal Lot ID: DMF25H1NOP
Sample Receipt date: 15/12/2025	Lot Qty: 9.37 MT
Sample Appearance: Light Brown colour	Temperature & Humidity during sampling: NA
Sample Quantity: ~500	Condition on receipt: Good
Sample Seal number: IndoPrime 002444	Analysis Start Date: 15/12/2025
Sampling Procedure: IPAS/STP/C/07	Analysis Completion Date: 16/12/2025
Sampling location: 78, Charbhujia Gali, Village- Bhitwara, Via- Mundara, Tehsil- Bali, Pali, Rajasthan- 306705 (INDIA)	Sampling Details: Sampling Done By IndoPrime
	Whether Customer has asked for decision rule: No

TEST RESULTS

Sr. No.	Parameters	Result	Unit	Test Method
Heavy Metals:				
1	Arsenic (as As)	BLQ(Q.L.=0.05)	mg/kg	IPAS/STP/C/08
2	Cadmium (as Cd)	BLQ(Q.L.=0.05)	mg/kg	
4	Lead (as Pb)	BLQ(Q.L.=0.05)	mg/kg	
5	Mercury (as Hg)	BLQ(Q.L.=0.05)	mg/kg	

Note: B.L.Q.=Below Limit of Quantification, Q.L.= Quantification Limit, N.M.= Not Mentioned**Remarks:** NA

Authorized Signatory
Santosh Patil
(Chemical)

Disclaimer note:

- The results are applicable solely to the sample analyzed as detailed above.
- This report may not be reproduced, in whole or in part, without prior written consent from IndoPrime Analytical Services LLP. It is not admissible as evidence in a court of law and should not be cited in any advertising materials without explicit written authorization from IndoPrime Analytical Services LLP.
- Any modification or alteration of a test report issued by IndoPrime is prohibited and constitutes an offense. IndoPrime reserves the right to pursue legal action if any such unauthorized changes are detected.
- Test reports are generated solely based on the information and data furnished by the customer. IndoPrime Analytical Services LLP's maximum liability is strictly limited to the amount invoiced for the respective services.

-----End of Test Report-----